Material safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.01.2015

Version number 1

Revision: 06.01.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WAKOL D 3055 Universal Primer Parquet
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- Application of the substance / the mixture Priming
- \cdot 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: WAKOL GmbH Bottenbacher Str. 30 66954 Pirmasens thomas.wieland@wakol.de

+49 (0)6331 8001 144

- · Informing department: Industrial Safety Department
- · 1.4 Emergency telephone number:

During business hours: Industrial Safety Department; +49 (0) 6331 8001 144

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- The product is not classified according to the CLP regulation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.

- · Information concerning particular hazards for human and environment: Not applicable.
- · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1) mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- Description: Adhesive

· Dangerous components:

 CAS: 52-51-7
 bronopol (INN)
 <0,1%</td>

 EINECS: 200-143-0
 Xn R21/22; Xi R37/38-41; NR50

 ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335
 <0,1%</td>

(Contd. on page 2)

GB2



Material safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 06.01.2015

Trade name: WAKOL D 3055 Universal Primer Parquet

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- After skin contact Generally the product does not irritate the skin.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- \cdot 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- · 6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from frost.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

GB2



Printing date 06.01.2015

Anspruch verbindet

Material safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.01.2015

Version number 1

Revision: 06.01.2015

(Contd. of page 2)

Trade name: WAKOL D 3055 Universal Primer Parquet

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment

- · General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals.
- Breathing equipment: Not required.
- · Protection of hands: Not required.
- Eye protection: Not required.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties • General Information		
· Appearance: Form: Colour: · Smell:	Fluid White Characteristic	
· pH-value at 20 °C:	7,0 (ISO 976)	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:		
· Flash point:	Not applicable.	
· Self-inflammability:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
• Steam pressure at 20 °C:	23 mbar	
· Density at 20 °C	1,01 g/cm3 (EN ISO 2811-1)	
• Solubility in / Miscibility with Water:	Fully miscible.	
 Viscosity: kinematic at 20 °C: 	30 mPas (ISO 2555)	
 Solvent content: VOC 9.2 Other information 	0,13 % No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 4)

GB2

Material safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.01.2015

Version number 1

Revision: 06.01.2015

Trade name: WAKOL D 3055 Universal Primer Parquet

(Contd. of page 3)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- \cdot on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitisation: No sensitising effects known.
- \cdot Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must be specially treated adhering to official regulations.
- · European waste catalogue
- 08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
- 08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
• 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
• 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
		(Contd. on page 5)



Material safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.01.2015

Version number 1

Revision: 06.01.2015

Trade name: WAKOL D 3055 Universal Primer Parquet

	(Contd. of page 4)
• 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
 14.5 Environmental hazards: 	Not applicable.
 14.6 Special precautions for user 	Not applicable.
• 14.7 Transport in bulk according to Anne	ex II of
MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations

· VOC:

• VOC (EU) 22,7 g/l

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.

R21/22 Harmful in contact with skin and if swallowed.

R37/38 Irritating to respiratory system and skin.

- R41 Risk of serious damage to eyes.
- *R50* Very toxic to aquatic organisms.
- Department issuing data specification sheet: Industrial Safety Department.
- · Contact: Dr. Thomas Wieland
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
- STOT SE 3: Specific target organ toxicity Single exposure, Hazard Category 3
- Aquatic Acute 1: Hazardous to the aquatic environment AcuteHazard, Category 1

3B2 -