

#### **LECOL PRODUCT RANGE**

### **LECOL 7500 FILLER**



- · Very fast drying time
- · Allows sanding after a short period of time
- · Specifically developed for wooden floors
- · Easy to use
- · Quick drying time
- · Low odour
- · Safe to use
- · Very good filling properties
- · Very strong adhesion
- · Water free

0,8 kg (113314) 5 kg (113315)

## **WAKOL D3035 DISPERSION PRIMER**



- · Self levelling compound primer for absorbent subfloors
- · Waterbased
- · Ready-to-use

10 kg (133805)

# WAKOL D3045 GRITTED PRIMER



- Self levelling compound primer for non-absorbent subfloors like tiles and as an adhesive bridge for Wakol levelling compounds on WAKOL PU280 Polyurethane Primer or WAKOL MS330 Silane Primer
- · Waterbased
- · Ready-to-use

12 kg (135299)

### **WAKOL D3055 PRIMER**



- Waterbased primer for under Wooden flooring adhesives on absorbant subfloors
- · Quick drying
- Strengthens the subfloor surface
- · Not suitable as damp proof membrane
- · Non hazardous

D3055 10 kg (135007)

## WAKOL PU280 POLYURETHANE PRIMER / DPM



- · Quick drying (dry in only 45 min.)
- · Single component polyurethane resin primer
- · Suitable for use as a moisture supressant
- · Strengthens the subfloor
- Can be used on absorbent and non-absorbent subfloors
- · Solvent and water free

5 kg (130762) 11 kg (130761)

## **WAKOL MS330 SILANE PRIMER**



- $\cdot$  Quick drying (dry in only 60 min.)
- · Single component silane primer
- · One coat only DPM
- $\cdot$  Strenghtens the subfloor
- $\boldsymbol{\cdot}$  Can be used on absorbent and non-absorbent subfloors
- · Solvent and water free

10 kg (147851)

## **LECOL 5500 ADHESIVE**



- · High initial grab
- · Suitable for underfloor heating systems
- · Suitable for all types of wood flooring
- · Suitable for use with waterborne lacquers
- $\cdot$  Very good filling properties
- · Very strong Adhesion
- · Water Free

6 kg (113311) 16 kg (113313) 25 kg (122489)

## **WAKOL PU225 ADHESIVE**



- $\cdot$  Solvent and water free
- · Suitable for underfloor heating systems
- · Suitable for all types of wood flooring
- · Suitable for use with waterborne lacquers
- $\cdot \, \text{Very good filling properties} \\$
- · 100% solid content
- · Excellent adhesion properties
- · Low emission level EC1

6,75 kg (130759)

8,9 kg (A comp, 140237 + 1,1 kg (B comp, 140236)

### LECOL PVAC ADHESIVE



- $\cdot \, \text{Water resistant dispersion glue} \\$
- · Joint adhesive for floating floors

0,75 kg (113333) 1 kg (122504)

### WAKOL MS228 READY-TO-LAY ADHESIVE, ELASTIC



- · Solvent and water free
- · Suitable for underfloor heating
- Very good filling properties
- · 100% solid content
- · High intial grab
- $\cdot$  No known allergic reactions
- · Easy to remove from the floors and hands
- · Only suitable with WAKOL MS330 or D3055 Primer

18 kg (147852)

# WAKOL MS230: SPECIFICALLY FOR ENGINEERED PARQUET



- · Solvent and water free
- · Suitable for underfloor heating
- · Very good filling properties
- · 100% solid content
- $\cdot \, \mathsf{High} \; \mathsf{intial} \; \mathsf{grab} \\$
- · No known allergic reactions
- $\cdot$  Easy to remove from the floors and hands

18 kg (130760)

## WAKOL MS260: HIGH TENSILE STRENGTH ADHESIVE



- · Solvent and water free
- · Suitable for underfloor heating
- · Very good filling properties
- · 100% solid content
- · High intial grab
- $\cdot$  No known allergic reactions

· Easy to remove from the floors and hands

18 kg (130757)





#### **WAKOL MS262 ADHESIVE**



- Solvent and water free
- · Suitable for underfloor heating
- · Very good filling properties
- · 100% solid content
- · Very initial high grab
- · No known allergic reactions
- · Easy to remove from the floors and hands

600 cc (145710)

### **LECOL Z715 LEVELLING COMPOUND**



- · Creates an even subfloor
- $\cdot$  Gives the subfloor absorbent properties
- · Smooths out rough spot
- · Creates the preferred surface for gluing wood floors

Z715: 25 kg (133831) D3035: 10 kg. Primer for absorbent subfloor (133805) AR114: 15 bags à 250 g. Reinforcement Fibres (133818)

## **LOBADUR® WS EASYPRIME PRIMER**



- · Water based
- · Excellent flow properties
- · No roller marks
- · Beautiful deep natural colour
- · Suitable for all wooden floors
- · No mixing
- Quick drying
- · Low solvent and free of NMP
- No odeurs

1 ltr (146262) 5 ltr (118329)

### **LOBADUR® PRIMASEAL PLUS PRIMER**



- · Solvent based
- $\cdot$  Excellent flow properties
- · No roller marks
- · Beautiful deep natural colour
- · Suitable for all wooden floors (universally applicable)
- · No mixing
- Quick drying
- · Low solvent and free of NMP
- No odeurs
- · Good price-performance ratio

5 ltr (126256)

## LOBADUR® WS VIVA LACQUER



- · Water based
- · Highly durable finish
- · 1 Component ready for use
- · Suitable for all wooden floors · Low solvent and free of NMP
- · Available in matt and semi gloss
- 1 ltr semi gloss (146261)
- 5 ltr matt (118328)
- 5 ltr semi gloss (118332)

# LOBADUR® WS 2K FUSION LACQUER



- · Water based
- · Highly durable finish
- $\cdot$  Suitable for all wooden floors · Low solvent and free of NMP
- · 2 components PU finish
- · Suitable for heavy traffic areas
- Available in matt and semi gloss

5 kg matt (118330)

5 kg semi gloss (118362)

# LOBADUR® WS 2K SUPRA LACQUER



- Water based, two-component PU finish
- $\cdot \ \, \text{Increased scratch resistance}$
- · Proven application properties
- · Universal application
- · High elasticity
- Exceptional chemical resistance
- 5 kg matt (144247)
- 5 kg semi gloss (136831)

### **LOBADUR® WS LIFE LACQUER**



- · Water based
- $\cdot$ 1 Component ready for use
- · Suitable for all wooden floors
- · Low solvent and free of NMP

5 ltr semi gloss (121449)

## LOBADUR® 2K INVISIBLE PROTECT A.T.



- · Product combines the looks of an oiled surface with the protection and ease of maintenance of a water based lacquer
- · Natural structure and feel like untreated wooden flooring
- · Extremely easy to work with
- $\cdot$  2-layer full structure without priming
- · Increased anti-slip properties
- · No additional polishing required
- · Excellent chemical resistance
- · As easy to clean as finished surfaces
- · No grain accentuation, the original colour of the wood remains as it was in its original state

1 kg (138190)

5 kg (138189)



### LOBASOL® PROCOLOR: SOLVENT COLOURS FOR LACQUERS



Bilinga

0,75 ltr

(144220)







0,75 ltr (144372)100 ml (145991)



(145990)

Kambala Mahogany 0,75 ltr 0,75 ltr (144219) (145833) 100 ml 100 ml

(145995)



0,75 ltr

(144084)

100 ml

(145987)

0,75 ltr

(144081)

100 ml

(145989)



0,75 ltr

(144369)

100 ml

(145993)



0,75 ltr

(145831)

100 ml

(145994)





0,75 ltr

(144083)

100 ml

(145998)



0,75 ltr

(146477)

(145987)

100 ml

100 ml (145992)

Stain for wooden floor based on solvents. For the professional staining of parquet and hardwood floors. Dries reliably and lap-free regardless of climatic conditions and can be easily varnished over with LOBADUR® waterborne finishes.

- Versatile design options
- Simple and safe application
  All variants can be mixed with each other
- Variety of possible combinations

In transparent and 10 deep colours: Bilinga, Black, Jatoba, Kambala, Mahogany, Papyrus, Smoked Oak, Sucupira, Wenge and White.

Each colour available in 100 ml and 0.75 ltr.



1 piece (146609)

Box with 12 samples (100ml) of LOBADUR® ProColor transparent and coloured lacquer finishes.




## SAMPLE BOX LOBA LACQUERS & COLOURS

1 piece (146065)

Luxury box (finished with a soft touch lamination for an extreme luxury look and feel) with 24 wood samples with transparent and coloured lacquer finishes for a beautiful natural look and the best possible protection.





### LOBASOL® MARKANT TRANSPARENT AND COLOURS: HARDWAX OIL



Transparent



Bilinga (134289)



Black (120103)



Jatoba (134288)



Kambala / Iroko (134287)



Mahogany (134286)



Papyrus (122378) (119323)



(134285)

Wenge



White (119325)



High-quality, layer-building oils accentuate the natural look of the wood and at the same time achieve excellent resistance to dirt and water.

· In 10 deep colours

- Resistant against abrasion
- · Repels dirt and water
- · Easy to apply
- · Only two coats necessary

Transparent:

- Resistant against abrasion
  Repels dirt and water
- · Deep, natural colour Easy to apply
- · Only two coats necessary

Each colour available in 0.75 ltr Transparent 0,75 ltr (119750) 2,5 ltr (118333)





(119324)

#### **SAMPLE BOX LOBASOL® MARKANT (12x 100 ML)**

1 piece (147643)

Box with 12 samples (100ml) of LOBASOL® Markant Transparent and Color oil/wax combination.

### LOBASOL® HS 2K IMPACTOIL TRANSPARENT AND COLOURS: HIGH SOLID OIL



Antique Oak 100 ml (147121) 0.75 ltr (139934)







Clay 100 ml (147124)0.75 ltr 0.75 ltr (139935) (139936)



Grey 100 ml (139937)0.75 ltr (147125)





Papyrus 100 ml (147126) 0.75 ltr (142405)



100 ml (147127)0.75 ltr (139939)



Silver 100 ml (147128) 0.75 ltr (139940)



100 ml (147129)



100 ml (147130) 0.75 ltr (142406)



Wenge 100 ml (147132) 0.75 ltr (147091)



Transparent 100 ml (147131) 0.75 ltr (132400) 2,5 ltr (139460)



Natural flooring oil for high quality demands in different colours. Accentuates the natural character of the wood and achieves excellent properties.

- One day impregnation
- Transparent and 11 colours
- Natural finish
- Simple and safe application

Each colour available in 100 ml and 0,75 ltr (except Smoked Oak). Transparent also in 2,5 ltr.

## SAMPLE BOX LOBASOL® HS 2K IMPACTOIL (12X 100 ML)

1 piece (147642)

Box with 12 samples (100ml) of LOBASOL® HS 2K ImpactOil Transparent and Color: natural flooring oil in different colours





## **LOBASOL® PRETONE**



Waterborne pigment stain for intensifying the colour

- Water based stain
- In combination with HS 2K ImpactOil
- For beautiful deep colour effects
- 5 colours available



White 2,5 ltr (139926)



Brown 2,5 ltr (139925)



Black 2,5 ltr (139928)



Mocha 2,5 ltr (147986)



Steel 2,5 ltr (147981)

## **SAMPLE BOX LOBA OILS & COLOURS**





1 piece (147641)

Sample box (finished with a soft touch lamination for an extreme luxury look and feel) with 24 wood samples with transparent and coloured oil finishes that produce a beautiful natural look for your wooden floor.



## **MAINTENANCE PRODUCTS** Day-to-day cleaning for lacquered and oiled floors / 1 ltr (118892) $\,$ LOBACARE® CLEANER LOBACARE® PARKETTCARE Maintenance for lacquered floors / 1 ltr (118885) LOBACARE® CARE REMOVER | Deep cleaning for lacquered floors / 1 ltr (118888) LOBACARE® SPORTCARE Maintenance for lacquered sport floors / 1 ltr (120131) Maintenance for lacquered floors / 1 ltr LOBACARE® V6 FINISH Available in mat (118889) and gloss (118890) LOBACARE® PARKETT OIL Maintenance for oiled floors /1 ltr (118891) Maintenance for floors, treated with LOBADUR® 2K LOBACARE® CARECLEANER Invisible Protect A.T. / 1 ltr. 138925 Day-to-day cleaning for oiled and waxed floors / LOBACARE® PARKETT SOAP 1 ltr (139461) LOBACARE® SPRAYMOP SET | 144085 / single cloth 146188

### SPATULA 27CM / TROWEL NR. 69



27 cm (113341) | nr. 69 (133880)

#### WAKOL TS102 SOUNDPROOFING MAT/ TS160 SLATTED UNDERLAY



TS102 = 133821 | TS160 = 114767

#### WAKOL R4515 TILE CLEANER



(124529)

# LOBATOOL® ROLLER FOR WATER BASED LACQUERS



(138784)

## MANUAL BULK GUN



(114767)

### LOBATOOL® ROLLER FOR PU280



132896

### LOBATOOL® MIXING JUG FOR LACQUERS



118087

## WAKOL MEASURING BUCKET (+ LID)



11 Itr (133829)

# LOBATOOL® BUCKET (+ LID) FOR LACQUERS



(142392) | (+ inliner bags 25 pieces:

#### WAKOL AR150 REINFORCEMENT FABRIC



50 m² (133819)

## WAKOL MIXING BUCKET



30 ltr (133828)

### WISCHWIESEL (+ CLOTH)



1 piece, cloth included (148774) Single cloth (148929)





P.O. Box 51 | NL-5140 AB Waalwijk | The Netherlands

Duncan Conlan (Sales UK) T 075 349 418 17

Fraser McArthur (Sales UK) T 079 561 344 81

F+31 (0)416 566 531 | sales@lecoluk.com | www.lecoluk.com