

PRODUCT RANGE

**ALL THE PRODUCTS YOU NEED FOR
THE INSTALLATION, RENOVATION,
FINISHING AND MAINTENANCE OF
SOLID WOOD & PARQUET FLOORING.**



LECOL PRODUCT RANGE

LECOL 7500 FILLER



- Very fast drying time
- Allows sanding after a short period of time
- Specifically developed for wooden floors
- Easy to use
- Quick drying time
- Safe to use
- Very good filling properties
- Very strong adhesion
- Water free

0,8 kg (I13314)
5 kg (I13315)

WAKOL D3035 DISPERSION PRIMER



- Self levelling compound primer for absorbent subfloors
- Waterbased
- Ready-to-use

10 kg (I33805)

WAKOL D3045 GRITTED PRIMER



- Self levelling compound primer for non-absorbent subfloors like tiles and as an adhesive bridge for Wakol levelling compounds on WAKOL PU280 Polyurethane Primer or WAKOL MS330 Silane Primer
- Waterbased
- Ready-to-use

12 kg (I35299)

WAKOL D3055 PRIMER



- Waterbased primer for under Wooden flooring adhesives on absorbent subfloors
- Quick drying
- Strengthens the subfloor surface
- Not suitable as damp proof membrane
- Non hazardous

D3055 10 kg (I35007)

WAKOL PU280 POLYURETHANE PRIMER / DPM



- Quick drying (dry in only 45 min.)
- Single component polyurethane resin primer
- Suitable for use as a moisture suppressant
- Strengthens the subfloor
- Can be used on absorbent and non-absorbent subfloors
- Solvent and water free

5 kg (I30762)
11 kg (I30761)

WAKOL MS330 SILANE PRIMER / DPM



- Quick drying (dry in only 60 min.)
- Single component silane primer
- One coat only DPM
- Strengthens the subfloor
- Can be used on absorbent and non-absorbent subfloors
- Solvent and water free

5 kg (I50734)
10 kg (I47851)

LECOL 5500 ADHESIVE



- High initial grab
- Suitable for underfloor heating systems
- Suitable for all types of wood flooring
- Suitable for use with waterborne lacquers
- Very good filling properties
- Very strong Adhesion
- Water Free

6 kg (I13311)
16 kg (I13313)
25 kg (I22489)

WAKOL PU225 ADHESIVE



- Solvent and water free
- Suitable for underfloor heating systems
- Suitable for all types of wood flooring
- Suitable for use with waterborne lacquers
- Very good filling properties
- 100% solid content
- Excellent adhesion properties
- Low emission level EC1

6,75 kg (I30759)
8,9 kg (A comp. 140237 + 1,1 kg (B comp. 140236)

LECOL PVAC ADHESIVE



- Water resistant dispersion glue
- Joint adhesive for floating floors

0,75 kg (I13333)
1 kg (I22504)

WAKOL MS228 READY-TO-LAY ADHESIVE, ELASTIC



- Solvent and water free
- Suitable for underfloor heating
- Very good filling properties
- 100% solid content
- High initial grab
- No known allergic reactions
- Easy to remove from the floors and hands
- Only suitable with WAKOL MS330 or D3055 Primer
- For engineered flooring

18 kg (I47852)

WAKOL MS230: SPECIFICALLY FOR ENGINEERED PARQUET



- Solvent and water free
- Suitable for underfloor heating
- Very good filling properties
- 100% solid content
- High initial grab
- No known allergic reactions
- Easy to remove from the floors and hands

18 kg (I30760)

WAKOL MS260: HIGH TENSILE STRENGTH ADHESIVE



- Solvent and water free
- Suitable for underfloor heating
- Very good filling properties
- 100% solid content
- High initial grab
- No known allergic reactions
- Easy to remove from the floors and hands

18 kg (I30757)

WAKOL MS262 ADHESIVE



- Solvent and water free
- Suitable for underfloor heating
- Very good filling properties
- 100% solid content
- Very initial high grab
- No known allergic reactions
- Easy to remove from the floors and hands

600 cc (145710)

LECOL Z715 LEVELLING COMPOUND



- Creates an even subfloor
- Gives the subfloor absorbent properties
- Smooths out rough spot
- Creates the preferred surface for gluing wood floors

Z715: 25 kg (133831)

D3045: 12 kg. Gritted Primer (135299)

D3035: 10 kg. Primer for absorbent subfloor (133805)

AR114: 15 bags à 250 g. Reinforcement Fibres (133818)

LOBADUR® WS 2K FUSION LACQUER



- Water based
- Highly durable finish
- Suitable for all wooden floors
- Low solvent and free of NMP
- 2 components PU finish
- Suitable for heavy traffic areas
- Available in matt and semi gloss

5 kg matt (118330)

5 kg semi gloss (118362)

LOBADUR® 2K INVISIBLE PROTECT A.T.



- Product combines the looks of an oiled surface with the protection and ease of maintenance of a water based lacquer
- Natural structure and feel like untreated wooden flooring
- Extremely easy to work with
- 2-layer full structure without priming
- Increased anti-slip properties
- No additional polishing required
- Excellent chemical resistance
- As easy to clean as finished surfaces
- No grain accentuation, the original colour of the wood remains as it was in its original state

1 kg (138190)

5 kg (138189)

LOBADUR® WS EASYPRIME PRIMER



- Water based
- Excellent flow properties
- No roller marks
- Beautiful deep natural colour
- Suitable for all wooden floors
- No mixing
- Quick drying
- Low solvent and free of NMP
- No odours

5 ltr (118329)

LOBADUR® WS 2K SUPRA LACQUER



- Water based, two-component PU finish
- Increased scratch resistance
- Proven application properties
- Universal application
- High elasticity
- Exceptional chemical resistance

5 kg matt (144247)

5 kg semi gloss (136831)

LOBADUR® PRIMASEAL PLUS PRIMER



- Solvent based
- Excellent flow properties
- No roller marks
- Beautiful deep natural colour
- Suitable for all wooden floors (universally applicable)
- No mixing
- Quick drying
- Low solvent and free of NMP
- No odours
- Good price-performance ratio

5 ltr (126256)

LOBADUR® WHITENER



- Ideal for lighter wood species to prevent future ambering
- Creates a smooth brightening of the wood surface
- Intensifies the whitening effect of white colored surfaces
- Variable control of brightening intensity
- Helps prevent the natural yellowing of the wood
- Water-based technology, solvent-free
- Simple and safe application

80 ml (149778)

LOBADUR® WS LIFE LACQUER



- Water based
- 1 Component ready for use
- Suitable for all wooden floors
- Low solvent and free of NMP

5 ltr semi gloss (121449)

LOBADUR® AMBERIZER



- Ideal for dark wood species
- Additive to achieve the traditional look of an aged oil modified polyurethane finish with waterborne coatings
- Suitable for all LOBADUR® waterborne finishes
- Convenient package and great color consistency
- Simple and safe application

80 ml (151904)

LOBADUR® WS VIVA LACQUER



- Water based
- Highly durable finish
- 1 Component ready for use
- Suitable for all wooden floors
- Low solvent and free of NMP
- Available in matt and semi gloss

1 ltr semi gloss (146261)

5 ltr matt (118328)

5 ltr semi gloss (118332)

LOBASOL® PROCOLOR: SOLVENT COLOURS FOR LACQUERS



Bilinga
0,75 ltr
(144220)
100 ml
(145992)



Black
0,75 ltr
(144080)
100 ml
(145997)



Jatoba
0,75 ltr
(144372)
100 ml
(145991)



Kambala
0,75 ltr
(144219)
100 ml
(145990)



Mahogany
0,75 ltr
(145833)
100 ml
(145995)



Papyrus
0,75 ltr
(144084)
100 ml
(145987)



Smoked Oak
0,75 ltr
(144081)
100 ml
(145989)



Sucupira
0,75 ltr
(144369)
100 ml
(145993)



Wenge
0,75 ltr
(145831)
100 ml
(145994)



White
0,75 ltr
(144083)
100 ml
(145998)



Transparent
0,75 ltr
(146477)
100 ml
(145987)



Stain for wooden floor based on solvents. For the professional staining of parquet and hardwood floors. Dries reliably and lap-free regardless of climatic conditions and can be easily varnished over with LOBADUR® waterborne finishes.

- Versatile design options
- Simple and safe application
- All variants can be mixed with each other
- Variety of possible combinations

In transparent and 10 deep colours: Bilinga, Black, Jatoba, Kambala, Mahogany, Papyrus, Smoked Oak, Sucupira, Wenge and White.

Each colour available in 100 ml and 0,75 ltr.

SAMPLE BOX LOBASOL® PROCOLOUR

1 piece (146609)

Box with 12 samples (100ml) of LOBADUR® ProColor transparent and coloured lacquer finishes.



SAMPLE BOX LOBA LACQUERS & COLOURS


1 piece (146065)

Luxury box (finished with a soft touch lamination for an extreme luxury look and feel) with 24 wood samples with transparent and coloured lacquer finishes for a beautiful natural look and the best possible protection.



FIRST CHOICE FOR YOUR FLOOR!

LOBASOL® MARKANT TRANSPARENT AND COLOURS: HARDWAX OIL



High-quality, layer-building oils accentuate the natural look of the wood and at the same time achieve excellent resistance to dirt and water.

Colours:

- In 10 deep colours
- Resistant against abrasion
- Repels dirt and water
- Easy to apply
- Only two coats necessary

Transparent:

- Resistant against abrasion
- Repels dirt and water
- Deep, natural colour
- Easy to apply
- Only two coats necessary

Each colour available in 0,75 ltr

Transparent available in:

Satin 0,75 ltr (119750)

Satin 2,5 ltr (118333)

Satin 10 ltr (119751)

Matt 2,5 ltr (150252)

SAMPLE BOX LOBASOL® MARKANT (12x 100 ML)

1 piece (147643)

Box with 12 samples (100ml) of LOBASOL® Markant Transparent and Color oil/wax combination.



LOBASOL® MARKANTNATURE



- A natural wood look with many proven benefits
- High-quality, natural hardwaxoil. The new formula gives the wood surface an untreated look. Preserves the natural color of the wood.
- Non ambering effect, prevents the natural yellowing of wood
- Smooth and full bodied appearance
- Water and dirt resistant
- Easy and safe application

0,75 ltr (148380)

2,5 ltr (148379)

LOBASOL® HS 2K IMPACTOIL TRANSPARENT AND COLOURS: HIGH SOLID OIL



Natural flooring oil for high quality demands in different colours.

Accentuates the natural character of the wood and achieves excellent properties.

- One day impregnation
- Transparent and 11 colours
- Natural finish
- Simple and safe application

SAMPLE BOX LOBASOL® HS 2K IMPACTOIL (12X 100 ML)

1 piece (147642)

Box with 12 samples (100ml) of LOBASOL® HS 2K ImpactOil Transparent and Color: natural flooring oil in different colours.



LOBASOL® PRETONE



Waterborne pigment stain for intensifying the colour under coloured oils

- Water based stain
- In combination with HS 2K ImpactOil
- For beautiful deep colour effects
- 5 colours available



White
2.5 ltr
(139926)



Brown
2.5 ltr
(139925)



Black
2.5 ltr
(139928)



Mocha
2.5 ltr
(147986)



Steel
2.5 ltr
(147981)

SAMPLE BOX LOBA OILS & COLOURS



1 piece (147641)

Sample box (finished with a soft touch lamination for an extreme luxury look and feel) with 24 wood samples with transparent and coloured oil finishes that produce a beautiful natural look for your wooden floor.

ANCILIARIES

MAINTENANCE PRODUCTS



LOBACARE® CLEANER	Day-to-day cleaning for lacquered and oiled floors / 1 ltr (118892)
LOBACARE® PARKETTCARE	Maintenance for lacquered floors / 1 ltr (118885)
LOBACARE® CARE REMOVER	Deep cleaning for lacquered floors / 1 ltr (118888)
LOBACARE® SPORTCARE	Maintenance for lacquered sport floors / 1 ltr (120131)
LOBACARE® V6 FINISH	Maintenance for lacquered floors / 1 ltr Available in mat (118889) and gloss (118890)
LOBACARE® PARKETT OIL	Maintenance for oiled floors / 1 ltr (118891)
LOBACARE® CARECLEANER	Maintenance for floors, treated with LOBADUR® 2K Invisible Protect A.T. / 1 ltr. 138925
LOBACARE® PARKETT SOAP	Day-to-day cleaning for oiled and waxed floors / 1 ltr (139461)
LOBACARE® SPRAYMOP SET	144085 / single cloth 146188

SPATULA 27CM / TROWEL NR. 69



27 cm (113341) | nr. 69 (133880)

WAKOL TS102 SOUNDPROOFING MAT/ TS160 SLATTED UNDERLAY



TS102 = 133821 | TS160 = 114767

WAKOL R4515 TILE CLEANER



(124529)

LOBATOOL® ROLLER FOR WATER BASED LACQUERS



(138784)

MANUAL BULK GUN



(114767)

LOBATOOL® ROLLER FOR PU280



(132896)

LOBATOOL® MIXING JUG FOR LACQUERS



(118087)

WAKOL MEASURING BUCKET (+ LID)



11 ltr (133829)

LOBATOOL® BUCKET (+ LID) FOR LACQUERS



(142392) | (+ inliner bags 25 pieces: 146837)

WAKOL AR150 REINFORCEMENT FABRIC



50 m² (133819)

WAKOL MIXING BUCKET



30 ltr (133828)

WISCHWIESEL (+ CLOTH)



1 piece, cloth included (148774)
Single cloth (148929)



P.O. Box 51 | NL-5140 AB Waalwijk | The Netherlands
Duncan Conlan (Sales UK) T 075 349 418 17
Fraser McArthur (Sales UK) T 079 561 344 81
F +31 (0)416 566 531 | sales@lecoluk.com | www.lecoluk.com

